

Product Information

CITO 500

Be Connected, Choose Metric



metric 

ev charging 

CITO 500

Apart from ultra-rapid charging, charging with 50 kW is becoming ever more relevant, be it on the supermarket car park or in the bus depot.

At less powerful grid connections in particular, all vehicles can be charged with up to 50 kW at the CITO 500, regardless of their onboard charging device.

In addition, SAM technology provides calibration law-compliant metering in Germany.

With the optional integrated payment terminal the CITO 500 is ready for all types of payment.



- With ventilation being placed at the front and the sides the CITO 500 can be placed against a wall to save on floor space

Built in 22kW AC socket

- Large area for branding and instruction

- Quiet DC charging solution

Competitively priced

Highlights

- ☑ Charging with up to 22 kW AC and 50 kW DC
- ☑ DC and AC charging of two electric vehicles in parallel
- ☑ Optional payment Terminal with pin pad, available in Germany and Austria (other countries on request)
- ☑ Giro-e able
- ☑ Calibration law-compliant billing via SAM storage and display module
- ☑ LAN and 4G connectivity
- ☑ All protective components integrated
- ☑ Maintenance and installation optimised front and side access
- ☑ Can be installed directly in front of walls
- ☑ Connection to IT backends via: OCPP 1.6J
- ☑ Particularly low noise emission with < 55 dB enables operation in residential areas
- ☑ Ambient lighting

Accessories

- ☑ Giro-e
- ☑ Concrete base + base filler granulate
- ☑ Load management packages
- ☑ Load management configuration service

ev charging 

metric 

Be Connected, Choose Metric

Contact us

01793 647800

sales@metricgroup.co.uk

www.metricgroup.co.uk

Metric House, Westmead Drive, Swindon, SN5 7AD